

Description:

GRAPAIS consists of corrugated steel cramps AEH-400N type of 200 to 300 mm length and diameter ranging from 4.5 to 6 mm. These cramps undergo galvanisation by electrolysis so as to prevent corrosion, with bending capacity at corners so as to adapt to different types of applications and are used for reinforcing and restoring.

Uses:

It is used for blocking cracks on facades or walls. It is used for joining pieces, stone, concrete, etc. It is also used for overlapping sections.

Features & benefits:

GALVANISED. PREFORMED. EASY APPLICATION.

Surface preparation:

The surface of application must be prepared as recommended in accordance to the product being used (resin, mortar, etc).

Application:

- GRAPAIS is used as metallic reinforcement, with the advantage of not undergoing rusting.
- It serves to provide a solution for restoring and reinforcement purposes, when it is necessary to use fix or join pieces.

Technical Features:

Composition: Stainless steel AEH 400 N

-: It complies with the limits of the diameters upon folding established by UNE 36068/88, 36.088//88 and 36.097//81 standards

Coverage:

According to the application.

Clean up:

Not applicable.

Storage:

It is recommended to store this product by protecting it against rain and environmental contamination. Unlimited time for storage.

Packaging:

Available in packs of:

Tipo 200: 1 Ud

Tipo 300: 1 Ud



Health and safety advice :

The information provided on this technical data sheet and particularly the recommendations for the application and use of the product is based on our current knowledge and are provided in good faith, considering that the products are used, handled and stored under normal conditions and within the limits of its useful life. The possible differences between the materials, supports, and real conditions in the application site can be so important that it is no possible to establish a warranty with this document or any other information provided. The user must verify with a suitability test that the product conforms to the required use. Users should refer to the information included in the last technical data sheet edition.